

'Bye Bye' Baby Bottle Helping your child stop using a bottle

Parents often struggle to get rid of the baby bottle.

Start teaching your child to drink from an open cup at 6 months. This makes the move easier.

Stop using all baby bottles by 18 months.



Why stop using the bottle?

Children older than 12 months who still use a bottle are more likely to:

- Drink too much milk More than 750mL (3 cups) a day is too much.
- Drink too much juice More than 125mL (½ cup) a day is too much at any age.
- Not eat enough food rich in iron (such as meat, fish, lentils, beans, eggs, and ironfortified infant cereal). This can lead to your child having anemia (low iron in the blood). Anemia can slow your child's growth and development.
- Have tooth decay in both baby and adult teeth (especially if you give your child a bottle of milk or juice at bedtime).
 Note: Your child can still get tooth decay even with diluted milk or juice.

Tips to help say 'bye bye' to the bottle

- ✓ Fill the bottle with less and less liquid. Your child will start to get hungry and eat food instead.
- ✓ Try replacing the mid-day bottle with a cup. Once your child gets used to this, replace another bottle with a cup. Do this until they are ready to give up the last bottle.
- ✓ Limit where your child can drink a bottle. Be firm. Do not allow your child to drink while walking around, playing, or going to sleep.
- ✓ Leave the bottle at home when you go out.
- ✓ Comfort your child without a bottle. Try rocking, singing, cuddling, or offering a favourite toy.
- ✓ Offer a bedtime snack <u>before</u> brushing your child's teeth.
- ✓ Allow your child to choose a new open cup.

Don't forget...


- ✓ Brush your child's teeth at least 2 times each day with fluoride toothpaste.
- ✓ Give your child lots of praise as they say 'bye bye' to their bottle.

For questions about your child's nutrition, call 8-1-1 to speak to a registered dietitian at HealthLinkBC.

Online:

Go to <u>fraserhealth.ca/health-topics-a-to-</u>z/pregnancy-and-baby/life-with-yourtoddler-6-24-months/healthy-eating-fortoddlers/healthy-eating-habits-for-toddlers





Use this guide to help wean your child from bottles of milk or juice.

Choose a 'Dilute' start date.

Fill in the dates as you continue diluting every 3 or 4 days until there is only water in the bottle.